

GEODESIC MAPPINGS AND THEIR GENERALIZATIONS

J. Mikeš, V. E. Berezovski, E. Stepanova, and H. Chudá

UDC 514.7

ABSTRACT. This paper is devoted to further study of the theory of geodesic mappings and their generalizations, including conformal, holomorphically projective, F -planar, and almost geodesic mappings of affinely connected spaces.

CONTENTS

1. Introduction	607
2. First Integral of Geodesics	608
3. Geodesic Mappings with Initial Condition	609
4. F -Planar Mappings	610
5. Conformally Projective and Conformally Holomorphically Projective Mapping	612
6. Almost Geodesic Mappings of Affinely Connected Spaces	613
References	616

1. Introduction

This paper is devoted to further study of the theory of geodesic mappings and their generalizations, including conformal, holomorphically projective, F -planar, and almost geodesic mappings of affinely connected spaces. These theories go back to the paper [115] of Levi-Civita, in which the problem on the search for Riemannian spaces with common geodesics was stated and solved in a special coordinate system. We note a remarkable fact that this problem is related to the study of equations of dynamics of mechanical systems.

The theory of geodesic mappings has been developed by Thomas, Weyl, Shirokov, Kagan, Vrănceanu, Rashevski, Shapiro, Vedenyapin, Solodownikov, Sinyukov, Mikeš, and others (see [21, 27, 40, 42, 43, 48, 48, 55, 96, 112, 119, 129, 142, 143]).

In [41], Petrov introduced the notion of quasi-geodesic mappings. In particular, holomorphically projective mappings of Kählerian spaces are special quasi-geodesic mappings; they were examined by Otsuki and Tashiro [130, 141], Prvanović [131] and others (see [1, 25, 28, 34, 48, 49, 61, 62, 111, 112, 120, 129, 142, 143]).

A natural generalization of these classes of mappings is the class of almost geodesic mappings introduced by Sinyukov (see [44–49]); he also specified three types of almost geodesic mappings π_1 , π_2 , and π_3 .

Recently, many new results have been obtained, which were not included in the reviews by Sinyukov [49] and Mikeš [119, 120] (see also [19, 105]).

In the sequel, we assume that all spaces considered are simply connected and their dimensions >2 unless otherwise stated. All geometric objects are assumed to be continuous and sufficiently smooth.

Translated from Sovremennaya Matematika i Ee Prilozheniya (Contemporary Mathematics and Its Applications), Vol. 96, Geometry and Analysis, 2015.

Acknowledgment. This work was partially supported by grants of Czech Republic POST-UP CZ 1.07/2.3.00/30.0004, CZ 1.07/2.3.00/30.0035, and IGA-PrF-2015-010.

REFERENCES

1. D. V. Beklemishev, “Differential geometry of spaces with almost complex structure,” *Itogi Nauki. Geom.* 1963, All-Union Institute for Scientific and Technical Information (VINITI), Moscow (1965), pp. 165–212.
2. V. E. Berezovski, *A new form of fundamental equations of almost geodesic mappings of type π_1* [in Russian], preprint UkrNIITI No. 129, 16.03.1986.

3. V. E. Berezovski, “Almost geodesic mappings of affinely connected spaces,” in: *Proc. All-Union Geom. Conf.*, Kishinev (1986), p. 41.
4. V. E. Berezovski, “First-type almost geodesic mappings of affinely connected spaces that preserve n -orthogonal systems of hypersurfaces,” in: *Proc. Regional Conf.*, Uman’ (1990), p. 2.
5. V. E. Berezovski, *First-type almost geodesic mappings of Riemannian spaces that preserve systems of n -orthogonal hypersurfaces* [in Russian], preprint UkrNIITI No. 652, 08.05.1991.
6. V. E. Berezovski, *Almost geodesic mappings of affinely connected spaces of type π_1^** [in Russian], preprint UkrNIITI No. 654, 08.05.1991.
7. V. E. Berezovski, “On a particular case of first-type almost geodesic mappings of affinely connected spaces,” in: *Proc. Int. Conf. “Lobachevsky and Modern Geometry,”* Kazan (1992), p. 12.
8. V. E. Berezovski, “First-type almost geodesic canonical mappings of affinely connected spaces,” in: *Proc. Int. Conf. Dedicated to the 90 Anniversary of G. F. Laptev,* Moscow (1999), p. 6.
9. V. E. Berezovski and J. Mikeš, “Almost geodesic mappings of affinely connected spaces,” in: *Proc. All-Union Geom. Conf.*, Odessa (1984), p. 18.
10. V. E. Berezovski and J. Mikeš, *A new classification of almost geodesic mappings of affinely connected spaces* [in Russian], preprint UkrNIITI No. 653, 08.05.1991.
11. V. E. Berezovski and J. Mikeš, “On the classification of almost geodesic mappings,” in: *Proc. Conf. Dedicated to the 200 Anniversary of N. I. Lobachevsky,* Odessa (1992), p. 54.
12. V. E. Berezovski and J. Mikeš, “On almost geodesic mappings of affinely connected spaces,” in: *Proc. 5 Int. Conf. on Geometry and Topology in Honor of A. V. Pogorelov,* Cherkassy (2003), pp. 14–15.
13. V. E. Berezovski and J. Mikeš, “A particular case of first-type almost geodesic mappings,” in: *Proc. G. F. Laptev Int. Geom. Semin.,* Penza (2007), pp. 7–17.
14. V. E. Berezovski and J. Mikeš, “Canonical first-type almost geodesic mappings,” in: *Proc. Int. Conf. “Geometry in Odessa 2009,”* Odessa (2009), p. 43.
15. V. E. Berezovski and J. Mikeš, “On first-type almost geodesic mappings,” in: *Proc. Ukr. Math. Congr.,* Kiev (2009).
16. V. E. Berezovski and J. Mikeš, “Almost geodesic mappings of type π_1 onto generalized Ricci-symmetric spaces,” *Uch. Zap. Kazan. Univ. Ser. Fiz.-Mat.*, **151**, No. 4, 9–14 (2009).
17. V. E. Berezovski and J. Mikeš, “ $(n - 2)$ -Projective spaces of first type,” in: *Proc. Int. Conf. “Geometry in Odessa 2010,”* Odessa (2010).
18. V. E. Berezovski and J. Mikeš, “ $(n - 2)$ -Projective spaces of first type,” *Izv. Belinsky Penz. Gos. Univ. Ser. Fiz.-Mat.*, 39–43 (2011).
19. V. E. Berezovski and J. Mikeš, “Almost geodesic mappings of affinely connected spaces,” *Itogi Nauki Tekhn. Sovr. Mat. Prilozh.*, **126**, 62–95 (2013).
20. J. Mikeš, O. Pokorná, G. Starko, and H. Vavříková, “Fundamental equations of almost geodesic mappings $\pi_2(e)$,” *Izv. Vyssh. Ucheb. Zaved. Ser. Mat.*, **1** (536), 10–15 (2007).
21. D. V. Vedenyapin, “On some $(n - 2)$ -projective spaces,” *Nauch. Dokl. Vyssh. Shkoly. Fiz.-Mat.*, **8**, 119–125 (1958).
22. I. Hinterleitner and J. Mikeš, “Projective equivalence and equiaffinely connected spaces,” *J. Math. Sci.*, **177**, No. 4, 546–550 (2011).
23. I. Hinterleitner, J. Mikeš, and J. Stránská, “Infinitesimal F -planar transformations,” *Izv. Vyssh. Ucheb. Zaved. Ser. Mat.*, **4**, 13–18 (2008).
24. V. V. Domashev and J. Mikeš, “Theory of holomorphically projective mappings of Kählerian spaces,” *Mat. Zametki*, **23**, No. 2, 297–303 (1978).

25. L. E. Evtushik, Yu. G. Lumiste, N. M. Ostianu, and A. P. Shirokov, *Differential-geometric Structures on Manifolds*, Itogi Nauki Tekhn. Probl. Geom., All-Union Institute for Scientific and Technical Information (VINITI), Moscow (1979).
26. F. V. Emel'yanov and V. F. Kirichenko, “On almost geodesic mappings of class π_2 of almost Hermitian manifolds,” *Mat. Zametki*, **90**, No. 4, 517–526 (2011).
27. V. F. Kagan, *Subprojective Spaces* [in Russian], Fizmatgiz, Moscow (1961).
28. J. Mikeš, *Geodesic and holomorphically projective mappings of special Riemannian spaces* [in Russian], Ph.D. thesis, Odessa Univ. (1979).
29. J. Mikeš, “Geodesic Ricci mappings of 2-symmetric Riemannian spaces,” *Mat. Zametki*, **28**, No. 2, 313–317 (1980).
30. J. Mikeš, “Geodesic mappings of Einstein spaces,” *Mat. Zametki*, **28**, No. 6, 935–938 (1980).
31. J. Mikeš, “F-Planar mappings of affinely connected spaces,” *Arch. Math. Brno*, **27a**, 53–56 (1991).
32. J. Mikeš, “On F -planar and f -planar mappings, transformations, and deformations,” in: *Geometry of Generalized Spaces* [in Russian], Penza (1992), pp. 60–65.
33. J. Mikeš, “On special F -planar mappings of affinely connected spaces,” *Vestn. Mosk. Univ. Ser. Mat.*, **3**, 18–24 (1994).
34. J. Mikeš, *Geodesic, F-planar, and Holomorphically Projective Mappings of Riemannian Spaces and Spaces with Affine Connections* [in Russian], Thesis, Palacky Univ., Olomouc, Czech Rep. (1995).
35. J. Mikeš, “F-Planar mappings onto Riemannian spaces,” in: *Proc. Int. Conf. ‘Invariant Methods in Geometry, Analysis, and Mathematical Physics’* [in Russian] Moscow State Univ. Moscow (2001), pp. 138–145.
36. J. Mikeš and V. E. Berezovski, *Geodesic mappings of affinely connected spaces onto Riemannian spaces* [in Russian], preprint UkrNIITI No. 347, 25.02.1985.
37. J. Mikeš and I. Hinterleitner, “On fundamental equations of geodesic mappings and their generalizations,” *J. Math. Sci.*, **174**, No. 5, 537–554 (2011).
38. J. Mikeš and N. S. Sinyukov, “On quasi-planar mappings of affinely connected spaces,” *Izv. Vyssh. Ucheb. Zaved. Mat.*, **27**, No. 1, 55–61 (1983).
39. J. Mikeš, M. Jukl, and L. Juklova, “Some results on traceless decomposition of tensors,” *J. Math. Sci.*, **174**, No. 5, 627–640 (2011).
40. A. P. Norden, *Spaces with Affine Connections* [in Russian], Nauka, Moscow (1976).
41. A. Z. Petrov, “Modeling of physical fields,” in: *Gravitation and General Relativity* [in Russian], **4-5**, Kazan Univ. (1968), pp. 7–21.
42. A. Z. Petrov, *New Methods in the General Theory of Relativity* [in Russian], Nauka, Moscow (1966).
43. Ž. Radulović, J. Mikeš, and M. L. Gavril'chenko, *Geodesic Mappings and Deformations of Riemannian Spaces* [in Russian], CID, Podgorica, Odessa State Univ. (1997).
44. N. S. Sinyukov, “Almost geodesic mappings of affinely connected and Riemannian spaces,” *Dokl. Akad. Nauk SSSR*, **151**, 781–782 (1963).
45. N. S. Sinyukov, “Almost geodesic mappings of affinely connected spaces and e-structures,” *Mat. Zametki*, **7**, No. 4, 449–459 (1970).
46. N. S. Sinyukov, “Infinitesimal almost geodesic transformations of affinely connected spaces and Riemannian spaces,” *Ukr. Geom. Sb.*, **9**, 86–95 (1970).
47. N. S. Sinyukov, *Theory of geodesic mappings of Riemannian spaces and its generalizations* [in Russian], thesis, Kiev (1971).
48. N. S. Sinyukov, *Geodesic Mappings of Riemannian Spaces* [in Russian], Nauka, Moscow (1979).

49. N. S. Sinyukov, “Almost geodesic mappings of affinely connected and Riemannian spaces,” *J. Sov. Math.*, **25**, No. 4, 1235–1249 (1984).
50. N. S. Sinyukov, *Principles of the theory of almost geodesic mappings of Riemannian spaces “in the whole”* [in Russian], preprint VINITI No. 562-91B (1991).
51. N. S. Sinyukov, I. N. Kurbatova, and J. Mikeš, *Holomorphically Projective Mappings of Kählerian Spaces* [in Russian], Odessa State Univ., Odessa (1985).
52. N. S. Sinyukov and E. N. Sinyukova, “On holomorphically projective mappings of special Kählerian spaces,” *Mat. Zametki*, **36**, No. 3, 417–423 (1984).
53. V. S. Sobchuk, “Intrinsic almost geodesic mappings,” *Izv. Vyssh. Uchebn. Zaved. Mat.*, **5**, 62–64 (1989).
54. V. S. Sobchuk, “Almost geodesic mappings of Riemannian spaces onto symmetric Riemannian spaces,” *Mat. Zametki*, **17**, No. 5, 757–763 (1975).
55. A. S. Solodovnikov, “Projective transformations of Riemannian spaces,” *Usp. Mat. Nauk (N.S.)*, **11**, No. 4 (70), 45–116 (1956).
56. H. Chudá and J. Mikeš, “Geodesic and F_2 -planar mappings under certain initial conditions,” *Proc. Int. Geom. Center 2008*, **1**, Nos. 1–2, 159–167 (2009).
57. V. M. Chernyshenko, “Affinely connected spaces with complexes of geodesics,” *Nauch. Zap. Dnepropetr. Univ.*, **55**, No. 6, 105–110 (1961).
58. V. M. Chernyshenko, “Spaces with special complexes of geodesic lines,” *Tr. Semin. Vekt. Tenz. Anal.*, 253–268 (1961).
59. V. S. Shadny, “Almost geodesic mappings of Riemannian spaces onto spaces of constant curvature,” *Mat. Zametki*, **25**, No. 2, 293–296 (1979).
60. Ya. L. Shapiro, “Geodesic direction fields and projective path systems,” *Mat. Sb.*, **36**, 125–148 (1955).
61. A. P. Shirokov, “Space over algebras and their applications,” *J. Math. Sci.*, **108**, No. 2, 232–248 (2002).
62. M. Shiha, *Geodesic and holomorphically projective mappings of parabolically Kählerian spaces* [in Russian], Ph.D. thesis, Moscow State Pedag. Inst., Moscow (1992).
63. N. V. Yablonskaya, *Almost geodesic mappings of affinely connected spaces with torsion* [in Russian], preprint VINITI No. 2190-79Dep, 19.06.1979.
64. N. V. Yablonskaya, *Invariant geometric objects of almost geodesic mappings π_2 of general affinely connected spaces* [in Russian], preprint VINITI No. 543-80Dep, 12.02.1980.
65. N. V. Yablonskaya, “Some classes of almost geodesic mappings of general affinely connected spaces,” *Ukr. Geom. Sb.*, **27**, 120–124 (1984).
66. N. V. Yablonskaya, “Special groups of almost geodesic transformations of affinely connected spaces,” *Izv. Vyssh. Uchebn. Zaved. Mat.*, **1**, 78–80 (1986).
67. A. Adamów, “On reduced almost geodesic mappings in Riemannian spaces,” *Demonstr. Math.*, **15**, 925–934 (1982).
68. M. Afwat and A. Švec, “Global differential geometry of hypersurfaces,” *Rozpr. Česk. Akad. Ved, Rada Mat. Prir. Ved*, **88**, No. 7 (1978).
69. A. V. Aminova, “Projective transformations of pseudo-Riemannian manifolds,” *J. Math. Sci.*, **113**, No. 3, 367–470 (2003).
70. V. E. Berezovski, “On special almost geodesic mappings of the type π_1 ,” in: *Proc. Satelite Conf. of ICM in Berlin*, Brno (1998), p. 7.
71. V. E. Berezovski and J. Mikeš, “On classification of almost geodesic mappings of affine-connected spaces,” in: *Proc. Conf. “Differential Geometry and Its Applications,” Dubrovnik, 1988*, Dubrovnik (1989), pp. 41–48.

72. V. E. Berezovski and J. Mikeš, “On a classification of almost geodesic mappings of affine connection spaces,” *Acta Univ. Palacki, Fac. Rerum Nat. Math.*, **35**, 21–24 (1996).
73. V. E. Berezovski and J. Mikeš, “On almost geodesic mappings of type π_1 which maintain a system n -orthogonal hypersurfaces,” in: *Proc. Conf. on Differ. Geom. Budapest*, Budapest (1996), p. 21.
74. V. E. Berezovski and J. Mikeš, “On almost geodesic mappings of the type π_1 of Riemannian spaces preserving a system n -orthogonal hypersurfaces,” *Rend. Circ. Mat. Palermo, II. Suppl.*, **59**, 103–108 (1999).
75. V. E. Berezovski and J. Mikeš, “On special almost geodesic mappings of type π_1 of spaces with affine connection,” *Acta Univ. Palacki, Fac. Rerum Nat. Math.*, **43**, 21–26 (2004).
76. V. E. Berezovski and J. Mikeš, “On special almost geodesic mappings of type π_1 of spaces with affine connection,” in: *Proc. 11 Math. Conf. Kiev*, Kiev (2006), p. 320.
77. V. E. Berezovski and J. Mikeš, “On fundamental equations in Cauchy-type form of special almost geodesic mappings of type π_1 ,” in: *Proc. 12 Math. Conf. Kiev*, Kiev (2008), p. 500.
78. V. E. Berezovski and J. Mikeš, “On special case of almost geodesic mappings of spaces with affine connection that preserve the Ricci tensor,” *Proc. 13 Math. Conf. Kiev*, Kiev (2010), p. 55.
79. V. E. Berezovski and J. Mikeš, “On almost geodesic mappings of type π_1 which preserve n -orthogonal system of hyperplanes of Riemannian spaces,” in: *Proc. Int. Conf. “Geometry in Odessa 2010”*, Odessa (2010), p. 71.
80. V. E. Berezovski, J. Mikeš, and A. Vanžurová, “Canonical almost geodesic mappings of type π_1 onto pseudo-Riemannian manifolds,” in: *Proc. Int. Conf. “Differential Geometry and Its Applications, Olomouc, August 2007”*, World Scientific (2008), pp. 65–76.
81. V. E. Berezovski, J. Mikeš, and A. Vanžurová, “Almost geodesic mappings onto generalized Ricci-symmetric manifolds,” in: *Proc. 9 Int. Conf. Aplimat 2010*, Bratislava (2010).
82. V. E. Berezovski, J. Mikeš, A. Vanžurová, “Almost geodesic mappings onto generalized Ricci-symmetric manifolds,” *Acta Math. Acad. Paedagog. Nyhazi. (N.S.)*, **26**, No. 2, 221–230 (2010).
83. V. E. Berezovski, J. Mikeš, and A. Vanžurová, “Fundamental PDEs of canonical almost geodesic mappings of type $\tilde{\pi}_1$,” [arXiv:1006.3200](https://arxiv.org/abs/1006.3200) (2010).
84. V. E. Berezovski, J. Mikeš, and A. Vanžurová, “On a class of curvature preserving almost geodesic mappings of manifolds with affine connection,” in: *Proc. 10 Int. Conf. Aplimat 2011*, Bratislava (2011), pp. 623–628.
85. V. E. Berezovski, J. Mikeš, and A. Vanžurová, “Fundamental PDEs of canonical almost geodesic mappings of type π_1 ,” *Bull. Malays. Math. Sci. Soc. (2)*, **37**, No. 3, 647–659 (2014).
86. H. W. Brinkmann, “Einstein spaces which are mapped conformally on each other,” *Math. Ann.*, **94**, 119–145 (1925).
87. O. Chepurna and I. Hinterleitner, “On the mobility degree of (pseudo-) Riemannian spaces with respect to concircular mappings,” *Miskolc Math. Notes*, **14**, No. 2, 561–568 (2013).
88. H. Chudá and J. Mikeš, “F-Planar mappings with certain initial conditions,” in: *Proc. 5 Int. Conf. Aplimat 2006*, Bratislava (2006), pp. 83–88.
89. H. Chudá and J. Mikeš, “First quadratic integral of geodesics with certain initial conditions,” in: *Proc. 6 Int. Conf. Aplimat 2007*, Bratislava (2007), pp. 85–88.
90. H. Chudá, M. Chodorová, and J. al Lami Raad, “On holomorphically projective mappings onto almost Hermitian spaces,” *Aplimat J. Appl. Math.*, **4**, 667–672 (2011).
91. H. Chudá, M. Chodorová, and M. Shiha, “On composition of conformal and holomorphically projective mappings between conformally Kählerian spaces,” *Aplimat J. Appl. Math.*, **5**, No. 3, 91–96 (2012).
92. H. Chudá and J. Mikeš, “On geodesic mappings with certain initial conditions,” *Acta Math. Acad. Paedagog. Nyhazi. (N.S.)*, **26**, No. 2, 337–341 (2010).

93. H. Chudá and J. Mikeš, “Conformally geodesic mappings satisfying a certain initial condition,” *Arch. Math. (Brno)*, **47**, No. 5, 389–394 (2011).
94. H. Chudá, J. Mikeš, and M. Chodorová, “On holomorphically projective mappings with certain initial conditions,” *Aplimat J. Appl. Math.*, 673–678 (2011).
95. H. Chudá and M. Shiha, “Conformally holomorphically projective mappings satisfying a certain initial condition,” *Miskolc Math. Notes*, **14**, No. 2, 569–574 (2013).
96. L. P. Eisenhart, *Riemannian Geometry*, Princeton Univ. Press, Princeton (1926).
97. L. P. Eisenhart, *Non-Riemannian Geometry*, Princeton Univ. Press, Princeton (1926).
98. S. Fučík and A. Kufner, *Nonlinear Differential Equations* [in Czech], TKI, SNTL, Praha (1978).
99. A. Gray and L. M. Hervella, “The sixteen classes of almost Hermitian manifolds and their linear invariants,” *Ann. Mat. Pura Appl.*, **123**, 35–58 (1980).
100. I. Hinterleitner, “Special mappings of equidistant spaces,” *Aplimat J. Appl. Math.*, **2**, 31–36 (2008).
101. I. Hinterleitner, “On holomorphically projective mappings of e -Kähler manifolds,” *Arch. Math. (Brno)*, **48**, No. 5, 333–338 (2012).
102. I. Hinterleitner, “Geodesic mappings on compact Riemannian manifolds with conditions on sectional curvature,” *Publ. Inst. Math.*, **94**, 125–130 (2013).
103. I. Hinterleitner and J. Mikeš, “On F -planar mappings of spaces with affine connections,” *Note Mat.*, **27**, No. 1, 111–118 (2007).
104. I. Hinterleitner and J. Mikeš, “Projective equivalence and manifolds with equiaffine connection,” *J. Math. Sci.*, **177**, No. 4, 546–550 (2011).
105. I. Hinterleitner and J. Mikeš, “On fundamental equations of geodesic mappings and their generalizations,” *J. Math. Sci.*, **174**, No. 5, 537–554 (2011).
106. I. Hinterleitner and J. Mikeš, “On holomorphically projective mappings from manifolds with equiaffine connection onto Kähler manifolds,” *Arch. Math. (Brno)*, **49**, No. 5, 295–302 (2013).
107. I. Hinterleitner and J. Mikeš, “Geodesic mappings and Einstein spaces,” in: *Geometric Methods in Physics*, 331–335 (2013); [arXiv:1201.2827v1 \[math.DG\]](https://arxiv.org/abs/1201.2827v1).
108. I. Hinterleitner and J. Mikeš, “Geodesic mappings of (pseudo) Riemannian manifolds preserve class of differentiability,” *Miskolc Math. Notes*, **14**, No. 2, 575–582 (2013).
109. I. Hinterleitner, J. Mikeš, and P. Peška, “On F_2^ε -planar mappings of (pseudo) Riemannian manifolds,” *Arch. Math. (Brno)*, **50**, No. 5 287–295 (2014).
110. J. Hrdina, “Almost complex projective structures and their morphisms,” *Arch. Math. (Brno)*, **45**, No. 4 255–264 (2009).
111. S. Ishihara, “Holomorphically projective changes and their groups in an almost complex manifold,” *Tohoku Math. J., II. Ser.*, **9**, 273–297 (1957).
112. S. Kobayashi and K. Nomizu, *Foundations of Differential Geometry*. Vols. 1, 2, Interscience, New York–London (1963, 1969).
113. I. N. Kurbatova, “HP-mappings of H-spaces,” *Ukr. Geom. Sb.*, **27**, 75–83 (1984).
114. J. al Lami Raad, J. Mikeš, and M. Škodová, “On holomorphically projective mappings from equiaffine generally recurrent spaces onto Kählerian spaces,” *Arch. Math. (Brno)*, **42**, suppl., 291–299 (2006).
115. T. Levi-Civita, “Sulle transformationi delle equazioni dinamiche,” *Ann. Mat. Milano*, **24**, Ser. 2, 255–300 (1886).
116. J. Mikeš, “ F -Planar mappings and transformations,” in: *Proc. Conf. “Differential Geometry and Its Applications,” Brno, August 24–30, 1986* Brno (1986), pp. 245–254.

117. J. Mikeš, “Global geodesic mappings and their generalizations for compact Riemannian spaces,” in: *Proc. Conf. “Differential Geometry and Its Applications,” Opava, 1992*, Opava (1992), pp. 143–149.
118. J. Mikeš, “Special F -planar mappings of affinely connected spaces onto Riemannian spaces,” *Vestn. Mosk. Univ., Ser. Mat.*, **3**, 18–24 (1994).
119. J. Mikeš, “Geodesic mappings of affinely connected and Riemannian spaces,” *J. Math. Sci.*, **78**, No. 3, 311–333 (1996).
120. J. Mikeš, “Holomorphically projective mappings and their generalizations,” *J. Math. Sci.*, **89**, No. 3, 1334–1353 (1998).
121. J. Mikeš, V. Kiosak, and A. Vanžurová, *Geodesic Mappings of Manifolds with Affine Connection*, Palacky Univ. Press, Olomouc (2008).
122. J. Mikeš, S. Báscó, and V. E. Berezovski, “Geodesic mappings of weakly Berwald spaces and Berwald spaces onto Riemannian spaces,” *Int. J. Pure Appl. Math.*, **45**, No. 3, 413–418 (2008).
123. J. Mikeš and V. E. Berezovski, “Geodesic mappings of affinely connected spaces onto Riemannian spaces,” in: *Proc. Conf. “Differential Geometry and Its Applications,” Eger, Hungary, August 20–25, 1989*, Publ. Comp. Colloq. Math. Soc. J. Bolyai, **56**, 491–494 (1992).
124. J. Mikeš and M. Chodorová, “On concircular and torse-forming vector fields on compact manifolds,” *Acta Math. Acad. Paedagog. Nyhazi. (N.S.)*, **27** (2010).
125. J. Mikeš, H. Chudá, and I. Hinterleitner, “Conformally holomorphically projective mappings of almost Hermitian manifolds with a certain initial condition,” *Int. J. Geom. Methods Mod. Phys.*, **11**, No. 5, 1450044 (2014).
126. J. Mikeš, O. Pokorná, and H. Vavříková, “On almost geodesic mappings $pi_2(e)$, $e = \pm 1$,” in: *Proc. Int. Conf. Aplimat*, Part II, Bratislava (2005), pp. 315–321.
127. J. Mikeš and L. Rachunek, “ T -Semisymmetric spaces and concircular vector fields,” *Rend. Circ. Mat. Palermo, II. Suppl. Ser.*, **69**, 187–193 (2002).
128. J. Mikeš and M. Škodová, “Concircular vector fields on compact manifolds with affine connections,” *Publ. RSME*, **10**, 302–307 (2007).
129. J. Mikeš, A. Vanžurová, and I. Hinterleitner, *Geodesic Mappings and Some Generalizations*, Publ. Palacky Univ., Olomouc (2009).
130. T. Otsuki and Y. Tashiro, “On curves in Kählerian spaces,” *Math. J. Okayama Univ.*, **4**, 57–78 (1954).
131. M. Prvanović, “Holomorphically projective transformations in a locally product space,” *Math. Balk.*, **1**, 195–213 (1971).
132. L. Rachunek and J. Mikeš, “On tensor fields semiconjugated with torse-forming vector fields,” *Acta Univ. Palacki, Fac. Rerum Nat. Math.*, **44**, 151–160 (2005).
133. M. Shiha, “On the theory of holomorphically projective mappings of parabolically Kählerian spaces,” in: *Proc. Conf. “Differential Geometry and Its Applications, Opava, 1992*, Math. Publ., **1**, Silesian Univ. Opava (1993), pp. 157–160.
134. M. Shiha and J. Mikeš, “On holomorphically projective flat parabolically Kählerian spaces,” *Contemp. Geom. Related Topics. Čigoja Publ. Comp.*, **250**, 467–474 (2006).
135. M. Škodová, J. Mikeš, and O. Pokorná, “On holomorphically projective mappings from equiaffine symmetric and recurrent spaces onto Kählerian spaces,” *Rend. Circ. Mat. Palermo. Ser. II*, **75**, 309–316 (2005).
136. V. S. Sobchuk, J. Mikeš, and O. Pokorná, “On almost geodesic mappings π_2 between semisymmetric Riemannian spaces,” *Novi Sad J. Math.*, **29**, No. 3, 309–312 (1999).

137. M. S. Stanković, M. Lj. Zlatanović, and Lj. S. Velimirović, “Equitorsion holomorphically projective mappings of generalized Kählerian space of the first kind,” *Czech. Math. J.*, **60**, No. 3, 635–653 (2010).
138. M. S. Stanković, M. Lj. Zlatanović, and Lj. S. Velimirović, “Equitorsion holomorphically projective mappings of generalized Kählerian space of the second kind,” *Int. Electron. J. Geom.*, **3**, No. 2, 26–39 (2010).
139. M. S. Stanković, S. M. Minčić, and Lj. S. Velimirović, “On equitorsion holomorphically projective mappings of generalized Kählerian spaces,” *Czech. Math. J.*, **54**, No. 3, 701–715 (2004).
140. M. S. Stanković, S. M. Minčić, Lj. S. Velimirović, “On holomorphically projective mappings of generalized Kählerian spaces,” *Mat. Vesn.*, **54**, Nos. 3–4, 195–202 (2002).
141. Y. Tashiro, “On a holomorphically projective correspondence in an almost complex space,” *Math. J. Okayama Univ.*, **6**, 147–152 (1957).
142. G. Vrănceanu, *Lecons de Géométrie Différentielle*, Acad. RPR, Bucharest (1957).
143. K. Yano, *Differential Geometry of Complex and Almost Complex Spaces*, Pergamon Press (1965).
144. K. Yano, “Concircular geometry, I, II, III, IV, V,” *Proc. Imp. Acad. Jpn.*, **16**, 195–200, 345–360, 442–448, 505–511 (1940); **18**, 446–451 (1942).
145. K. Yano, “On the torse-forming directions in Riemannian spaces,” *Proc. Imp. Acad. Tokyo*, **20**, 340–345 (1944).
146. K. Yano and S. Bochner, *Curvature and Betti Numbers*, Ann. Math. Stud., **32**, Princeton Univ. Press, Princeton (1953).

J. Mikeš

Palacky University, Olomouc, Czech Republic

E-mail: josef.mikes@upol.cz

V. E. Berezovski

Uman National University of Horticulture, Uman, Ukraine

E-mail: berez.volod@rambler.ru

E. Stepanova

Palacky University, Olomouc, Czech Republic

E-mail: stephelena@list.ru

H. Chudá

Tomas Bata University in Zlín, Czech Republic

E-mail: chuda@ft.utb.cz